


PRODUCT DATASHEET

LS AY AC-12 SMB

MOUNTING BRACKETS | Mounting brackets for LED strip 230V AC

Areas of application

- General indoor illumination
- General outdoor illumination



Product benefits


- Quick and simple installation
- All required accessories included (screws, brackets)

Product features

- Mounting and installation of LED strips with included screws

TECHNICAL DATA

Dimensions & Weight



Length	29 mm
Width	6.0 mm
Height	6.5 mm
Product weight	20.00 g

Colors & materials

Product color	Transparent
Body material	Silicone

Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
Temperature range in operation	-20...+45 °C
Permitted rel. humidity during operation	0...93 %

Additional product data

Product remark	Available from September 2024
----------------	-------------------------------

LOGISTICAL DATA

Temperature range at storage	-20...+80 °C
------------------------------	--------------

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	UI_LED STRIP_HV
	Declarations of conformity	LS LUM
	Declarations of conformity UKCA	LS LUM

Tender texts	Document name
--------------	---------------

Tender texts		Document name
	Tender documents	MOUNTING BRACKETS SMB-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075844841	BAG 1	120 mm x 150 mm x 10 mm	29.00 g	0.18 dm³
4058075844858	Shipping box 50	347 mm x 347 mm x 124 mm	1943.00 g	14.93 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.