

PRODUCT DATASHEET

LS AY AC PLUG EU

POWER PLUGS FOR LED STRIP HIGH VOLTAGE 230V - EU | Power plug for LED strip 230V AC mains direct supply



Areas of application

- General indoor illumination
- General outdoor illumination

Product benefits

- Easy installation of connector, no manual wiring required

Product features


- Power cable with integrated twist lock functionality and cable length of 1,50 m
- Only suitable for EU region
- Type of protection: IP44

TECHNICAL DATA

Electrical data

Type of current	AC
-----------------	----

Dimensions & Weight



Length	1590 mm
Width	23.0 mm
Height	23.0 mm
Product weight	190.00 g

Colors & materials

Product color	White
Body material	Polycarbonate (PC)

Temperatures & operating conditions

Ambient temperature range	-20...+45 °C
Temperature range in operation	-20...+45 °C
Permitted rel. humidity during operation	0...93 %

Additional product data

Product remark	Available from September 2024
----------------	-------------------------------

Certificates & Standards

Type of protection	IP44
--------------------	------

LOGISTICAL DATA

Temperature range at storage	-20...+80 °C
------------------------------	--------------

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	UI_LED STRIP_HV

Documents and certificates		Document name
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11201420
	Declarations of conformity	LS LUM

Tender texts	Document name
	Tender documents POWER PLUGS FOR LED STRIP HIGH VOLTAGE 230V EU PLUG-en

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075844803	BAG 1	200 mm x 250 mm x 50 mm	206.00 g	2.50 dm³
4058075844810	Shipping box 50	357 mm x 357 mm x 264 mm	10982.00 g	33.65 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.