

# PRODUCT DATASHEET

## Bulkhead Essential Oval E27 Black

Bulkhead Essential | Wall and ceiling luminaire with integrated protective cage



---

### Areas of application

- Basement
- Garages
- Corridors, stairways, entrance areas

---

### Product benefits

- Sustainable due to E27 base
- High-quality glass housing and integrated protective cage for increased safety
- Thanks to protection class IP44, the luminaire is splash-proof

---

### Product features

- Impact resistance: IK06
- Type of protection: IP44
- Easy and quick installation


TECHNICAL DATA

Electrical data

|                  |               |
|------------------|---------------|
| Nominal voltage  | 220...240 V   |
| Mains frequency  | 50...60 Hz    |
| Protection class | II            |
| Operating mode   | Mains voltage |

Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 116.00 mm |
| Width          | 110.00 mm |
| Height         | 207.00 mm |
| Product weight | 520.00 g  |



Materials & Colors

|                                            |                    |
|--------------------------------------------|--------------------|
| Product color                              | Black              |
| Housing color                              | Black              |
| Body material                              | Polypropylene (PP) |
| Cover material                             | Glass              |
| Glow Wire Test according to IEC 60695-2-12 | 650 °C             |
| Mercury content                            | 0.0 mg             |

Application & Mounting

|                                        |                         |
|----------------------------------------|-------------------------|
| Ambient temperature range              | -20...+40 °C            |
| Temperature range at storage           | -40...+80 °C            |
| Type of connection                     | Terminal, 2-Pole (L, N) |
| Type of protection                     | IP54/IP20               |
| Protection class IK (shock resistance) | IK03                    |
| Dimmable                               | No                      |

|                          |         |
|--------------------------|---------|
| Mounting type            | Surface |
| Mounting location        | Wall    |
| With light source        | No      |
| Replaceable light source | No      |
| Holder designation       | E27     |

### Emergency lighting

|                                  |      |
|----------------------------------|------|
| Type of emergency operation test | None |
|----------------------------------|------|

### Certificates & Standards

|                                                      |           |
|------------------------------------------------------|-----------|
| Standards                                            | CE / UKCA |
| Luminaire with limited surface temperature, "D sign" | No        |
| Ball shot safe                                       | No        |

### Additional product data

|                       |   |
|-----------------------|---|
| Number of illuminants | 1 |
|-----------------------|---|

### Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

### DOWNLOAD DATA

| Documents and certificates                                                         |                                        | Document name                          |
|------------------------------------------------------------------------------------|----------------------------------------|----------------------------------------|
|  | User instruction / safety instructions | Bulkhead Essential E27                 |
|  | Declarations of conformity             | CE declaration Bulkheads Essential E27 |

### LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4099854671586 | Bundle<br>1                  | 209 mm x 119 mm x 108 mm             | 525.00 g     | 2.69 dm <sup>3</sup>  |
| 4099854671593 | Shipping box<br>10           | 607 mm x 267 mm x 244 mm             | 6060.00 g    | 39.54 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.