

PRODUCT DATASHEET

LISOEV 1465x31 23 17W 930 S130

LINEAR INDIVIDUAL LIGHT SOURCES INDIRECT | Upgrade or replacement light source unit for indirect, diffuse light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Indirect, diffuse light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	17.00 W
Nominal voltage	45 V
Nominal current	350.000 mA

Photometrical data

Luminous flux	2300 lm
Luminous efficacy	135 lm/W
Color temperature	3000 K
Light color (designation)	Warm White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcn
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	130 °
UGR	19



LISOEV 1465X31 23 17W 930 S130 LEDV 350mA



LISOEV 1465X31 23 17W 930 S130 LEDV 350mA

Dimensions & Weight

Length	1465.00 mm
--------	------------

Width	31.00 mm
Height	11.00 mm
Product weight	337.00 g
Cable length	100.000



1 5m INDIRECT LED MODULE

Materials & Colors

Product color	Grey
Housing color	Grey

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
	Declarations of conformity	LN INV
	Declarations of conformity UKCA	LN INV
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	LDT file (Eulumdat)	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	Light distribution curve type cone	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
	Light distribution curve type polar	LISOEV 1465X31 23 17W 930 S130 LEDV 350mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV INDIRECT G2 LISOEV 1500

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854284991	Folding box 1	36 mm x 1,347 mm x 17 mm	417.00 g	0.82 dm ³
4099854285004	Shipping box 10	1,484 mm x 184 mm x 67 mm	4270.00 g	18.29 dm ³
4099854285011	Shipping box 20	1,594 mm x 204 mm x 158 mm	9450.00 g	51.38 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DIRECT		ROBERT			
EAN	LSDEV	EAN	LSDEV	EAN	LINEAR Index/ID/WT
				40095618310	C1 100P 40W 100 PLS WT
				40095618320	C1 100P 40W 100 PLS WT
				40095618330	C1 100P 40W 100 CAH WT
				40095618340	C1 100P 40W 100 CAH WT
				40095618350	C1 100P 40W 100 CAH WT
40095618310	LSDEV 10P403 18 100 100 100 100	40095618360	LSDEV 100031 20 100 100 100 100	40095618370	C1 100P 40W 100 CAH WT
				40095618380	C1 100P 40W 100 CAH WT
				40095618390	C1 100P 40W 100 CAH WT
				40095618400	C1 100P 40W 100 CAH WT
				40095618410	C1 100P 40W 100 CAH WT
				40095618420	C1 100P 40W 100 CAH WT
				40095618430	C1 100P 40W 100 CAH WT
				40095618440	C1 100P 40W 100 CAH WT
				40095618450	C1 100P 40W 100 CAH WT
				40095618460	C1 100P 40W 100 CAH WT
				40095618470	C1 100P 40W 100 CAH WT
				40095618480	C1 100P 40W 100 CAH WT
				40095618490	C1 100P 40W 100 CAH WT
				40095618500	C1 100P 40W 100 CAH WT
				40095618510	C1 100P 40W 100 CAH WT
				40095618520	C1 100P 40W 100 CAH WT
				40095618530	C1 100P 40W 100 CAH WT
				40095618540	C1 100P 40W 100 CAH WT
				40095618550	C1 100P 40W 100 CAH WT
				40095618560	C1 100P 40W 100 CAH WT
				40095618570	C1 100P 40W 100 CAH WT
				40095618580	C1 100P 40W 100 CAH WT
				40095618590	C1 100P 40W 100 CAH WT
				40095618600	C1 100P 40W 100 CAH WT
				40095618610	C1 100P 40W 100 CAH WT
				40095618620	C1 100P 40W 100 CAH WT
				40095618630	C1 100P 40W 100 CAH WT
				40095618640	C1 100P 40W 100 CAH WT
				40095618650	C1 100P 40W 100 CAH WT
				40095618660	C1 100P 40W 100 CAH WT
				40095618670	C1 100P 40W 100 CAH WT
				40095618680	C1 100P 40W 100 CAH WT
				40095618690	C1 100P 40W 100 CAH WT
				40095618700	C1 100P 40W 100 CAH WT
				40095618710	C1 100P 40W 100 CAH WT
				40095618720	C1 100P 40W 100 CAH WT
				40095618730	C1 100P 40W 100 CAH WT
				40095618740	C1 100P 40W 100 CAH WT
				40095618750	C1 100P 40W 100 CAH WT
				40095618760	C1 100P 40W 100 CAH WT
				40095618770	C1 100P 40W 100 CAH WT
				40095618780	C1 100P 40W 100 CAH WT
				40095618790	C1 100P 40W 100 CAH WT
				40095618800	C1 100P 40W 100 CAH WT
				40095618810	C1 100P 40W 100 CAH WT
				40095618820	C1 100P 40W 100 CAH WT
				40095618830	C1 100P 40W 100 CAH WT
				40095618840	C1 100P 40W 100 CAH WT
				40095618850	C1 100P 40W 100 CAH WT
				40095618860	C1 100P 40W 100 CAH WT
				40095618870	C1 100P 40W 100 CAH WT
				40095618880	C1 100P 40W 100 CAH WT
				40095618890	C1 100P 40W 100 CAH WT
				40095618900	C1 100P 40W 100 CAH WT
				40095618910	C1 100P 40W 100 CAH WT
				40095618920	C1 100P 40W 100 CAH WT
				40095618930	C1 100P 40W 100 CAH WT
				40095618940	C1 100P 40W 100 CAH WT
				40095618950	C1 100P 40W 100 CAH WT
				40095618960	C1 100P 40W 100 CAH WT
				40095618970	C1 100P 40W 100 CAH WT
				40095618980	C1 100P 40W 100 CAH WT
				40095618990	C1 100P 40W 100 CAH WT
				40095619000	C1 100P 40W 100 CAH WT

DIRECT		INDIRECT		EAN	
EAN	LOCUS	EAN	LOCUS	EAN	LINEAR INDEXED/BK
				4000045000000	01000 PANK AND PSL BK
				4000045000001	01000 PANK AND PSL BK
				4000045000002	01000 PANK AND PSL BK
				4000045000003	01000 PANK AND PSL BK
4000045000009	LOCUS 1007010 45 1000 WMS 50010-55	4000045000010	LOCUS 1000011 20 1000 WMS 50010-55	4000045000004	01000 PANK AND CAI BK
				4000045000005	01000 PANK AND CAI BK
				4000045000006	01000 PANK AND CAI BK
				4000045000007	01000 PANK AND CAI BK
				4000045000008	01000 PANK AND CAI BK
				4000045000009	01000 PANK AND CAI BK
				4000045000010	01000 PANK AND CAI BK
				4000045000011	01000 PANK AND CAI BK
				4000045000012	01000 PANK AND CAI BK
				4000045000013	01000 PANK AND CAI BK
				4000045000014	01000 PANK AND CAI BK
				4000045000015	01000 PANK AND CAI BK
				4000045000016	01000 PANK AND CAI BK
				4000045000017	01000 PANK AND CAI BK
				4000045000018	01000 PANK AND CAI BK
				4000045000019	01000 PANK AND CAI BK
				4000045000020	01000 PANK AND CAI BK
				4000045000021	01000 PANK AND CAI BK
				4000045000022	01000 PANK AND CAI BK
				4000045000023	01000 PANK AND CAI BK
				4000045000024	01000 PANK AND CAI BK
				4000045000025	01000 PANK AND CAI BK
				4000045000026	01000 PANK AND CAI BK
				4000045000027	01000 PANK AND CAI BK
				4000045000028	01000 PANK AND CAI BK
				4000045000029	01000 PANK AND CAI BK
				4000045000030	01000 PANK AND CAI BK
				4000045000031	01000 PANK AND CAI BK
				4000045000032	01000 PANK AND CAI BK
				4000045000033	01000 PANK AND CAI BK
				4000045000034	01000 PANK AND CAI BK
				4000045000035	01000 PANK AND CAI BK
				4000045000036	01000 PANK AND CAI BK
				4000045000037	01000 PANK AND CAI BK
				4000045000038	01000 PANK AND CAI BK
				4000045000039	01000 PANK AND CAI BK
				4000045000040	01000 PANK AND CAI BK
				4000045000041	01000 PANK AND CAI BK
				4000045000042	01000 PANK AND CAI BK
				4000045000043	01000 PANK AND CAI BK
				4000045000044	01000 PANK AND CAI BK
				4000045000045	01000 PANK AND CAI BK
				4000045000046	01000 PANK AND CAI BK
				4000045000047	01000 PANK AND CAI BK
				4000045000048	01000 PANK AND CAI BK
				4000045000049	01000 PANK AND CAI BK
				4000045000050	01000 PANK AND CAI BK
				4000045000051	01000 PANK AND CAI BK
				4000045000052	01000 PANK AND CAI BK
				4000045000053	01000 PANK AND CAI BK
				4000045000054	01000 PANK AND CAI BK
				4000045000055	01000 PANK AND CAI BK
				4000045000056	01000 PANK AND CAI BK
				4000045000057	01000 PANK AND CAI BK
				4000045000058	01000 PANK AND CAI BK
				4000045000059	01000 PANK AND CAI BK
				4000045000060	01000 PANK AND CAI BK
				4000045000061	01000 PANK AND

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.