

# PRODUCT DATASHEET

## Tracklight Rail 1M White

Tracklight rail and base | Tracklight rail and base

---

### Areas of application

- Kitchens, living rooms, children's rooms or home offices
- Entrance areas



---

### Product benefits

- Timeless elegant design
- Made of solid aluminum with high-quality appearance

---

### Product features

- Customisable modular tracklight system



## TECHNICAL DATA

### Electrical data

Nominal voltage	220...240 V
Mains frequency	50/60 Hz
Protection class	I

### Dimensions & Weight

Length	1000 mm
Width	35.0 mm
Height	18.0 mm
Product weight	460.00 g



TRACKLIGHT RAIL 1M WT

### Materials & Colors

Product color	White
Body material	Aluminum

### Application & Mounting

Ambient temperature range	-20...+40 °C
Type of connection	Terminal, 2-pin
Mounting type	Surface
With light source	No
Replaceable light source	No

### Certificates & Standards





Standards	CE / UKCA
Ball shot safe	No

### Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.

– Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	TRACKLIGHT RAIL
	Legal information	Safety insert G11219601
	Declarations of conformity	TRACKLIGHT
	Declarations of conformity UKCA	TRACKLIGHT ACCESSORIES

## LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854507687	Folding box 1	22 mm x 48 mm x 1,008 mm	567.00 g	1.06 dm <sup>3</sup>
4099854507694	Shipping box 4	106 mm x 54 mm x 1,020 mm	2448.00 g	5.84 dm <sup>3</sup>
4099854507700	Shipping box 24	1,036 mm x 230 mm x 170 mm	15503.00 g	40.51 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.